



DIMENSION ONE SPAS™

Quick Start
Guide



SpaGuard.



Spa maintenance is absolutely essential.

Regularly checking the chemistry of your spa water is an important component of a sound spa care program. We recommend the

use of Dimension One Spas® Vision®* Cartridge along with the SpaGuard® Chlorinating Concentrate or Enhanced



Shock products. Maintaining proper levels will make the water clear and comfortable, kill bacteria and protect spa surfaces and equipment from stains caused by metals and scale. If not using the Vision** system, utilize any of the SpaGuard maintenance programs to maintain water that is clear and comfortable.

* Please refer to manufacturer's directions for installation and operation of Vision system.

**Vision® is not available in Canada

SpaGuard® Chlorinating Concentrate Start-Up Recipe for Dimension One Spas®

This program is effective in conjunction with Dimension One's Vision® System

Dosages for each product depend on the size on your spa and are found in the dosage chart on the back.

First Time Start-Up

1. Fill your Dimension One spa with water.
2. Superoxidize the spa with SpaGuard Chlorinating Concentrate (available at your local dealer) with the spa circulation system on. Run all pumps at least one hour.
3. Operate the spa circulation system for at least 2 hours.
4. Drain, then rinse interior surfaces and refill following draining instructions in the owner's manual.

Refill Guide

1. Once spa is filled, start your Dimension One spa. Add SpaGuard Stain and Scale Control.
2. Apply SpaGuard Water Clarifier and circulate the water for 5 minutes.
3. Using SpaGuard 4-Way Test Strips, test and balance pH (7.2-7.6), Total Alkalinity (125-150 ppm) and Calcium Hardness (100-200 ppm).
4. Add SpaGuard Chlorinating Concentrate to establish a residual of 3-5 ppm*.
5. Apply SpaGuard Natural Spa Enzyme.
6. Bathing can begin once a chlorine residual of 3-5 ppm is established*.

* When using the Vision® cartridge, establish a chlorine residual of at least 1ppm.

Daily Care

- Test the chlorine residual. Add SpaGuard Chlorinating Concentrate as needed to maintain a chlorine residual of 3-5 ppm.
- If foaming occurs use 2 teaspoons of SpaGuard Anti-Foam.

Weekly Care

- Test the pH. Acceptable range is 7.2-7.6. Ideal range is 7.4-7.6.
- Test Total Alkalinity of the water. Ideal range is 125-150 ppm.
- Apply weekly dose of SpaGuard Spa Stain and Scale Control.
- Shock your Dimension One spa with SpaGuard Enhanced Shock or superoxidize with SpaGuard Chlorinating Concentrate.

Monthly Care

- Test Calcium Hardness. Ideal range is 100-200 ppm.

Every 3 to 4 Months

- Drain, clean, polish spa surface and refill based on usage. Please refer to the spa care and maintenance guide for further details.



SpaGuard® Brominating Concentrate* Start-Up Recipe for Dimension One Spas®

*This system cannot be used in conjunction with Vision®.

Dosages for each product depend on the size of your spa and can be found in the dosage chart on the back.

First Time Start-Up

1. Fill your Dimension One spa with water.
2. Superoxidize the spa with SpaGuard Brominating Concentrate (available at your local dealer) with the spa circulation system on. Run all pumps at least one hour.
3. Operate the spa circulation system for at least 2 hours.
4. Drain, then rinse interior surfaces and refill following draining instructions in the owners manual.

Refill Guide

1. Once spa is filled, start your Dimension One spa. Add SpaGuard Stain and Scale Control.
2. Apply SpaGuard Water Clarifier and circulate the water for 5 minutes.
3. Using SpaGuard 4-Way Test Strips, test and balance pH (7.2-7.6), Total Alkalinity (125-150 ppm) and Calcium Hardness (100-200 ppm).
4. Add SpaGuard Brominating Concentrate to establish a residual of 3-6 ppm.
5. Apply SpaGuard Natural Spa Enzyme.
6. Bathing can begin once a bromine residual of 3-6 ppm is established.

Daily Care

- Test the bromine residual. Add SpaGuard Brominating Concentrate as needed to maintain a bromine residual of 3-6 ppm.
- If foaming occurs use 2 teaspoons of SpaGuard Anti-Foam.

Weekly Care

- Test the pH. Acceptable range is 7.2-7.6. Ideal range is 7.4-7.6.
- Test Total Alkalinity of the water. Ideal range is 125-150 ppm.
- Apply weekly dose of SpaGuard Spa Stain and Scale Control.
- Shock your Dimension One spa with SpaGuard Enhanced Shock or superoxidize with SpaGuard Brominating Concentrate.

Monthly Care

- Test Calcium Hardness. Ideal range is 100-200 ppm.

Every 3 to 4 Months

- Drain, clean, polish spa surface and refill based on usage. Please refer to the spa care and maintenance guide for further details.



SpaGuard® SoftSoak® Start-Up Recipe for Dimension One Spas®

*This system cannot be used in conjunction with Vision®.

Dosages for each product depend on the size of your spa and are found in the dosage chart on the back.

First Time Start-Up

1. Fill your Dimension One spa with water.
2. Operate the spa circulation system and allow the water to heat to at least 90° F / 32 degrees C)
3. Test the spa water using SoftSoak Spa Water Test Strips and balance pH (7.2-7.6), Total Alkalinity (125-150 ppm) and Calcium Hardness (100-200 ppm).
4. Add SoftSoak Waterline Control. Wait 30 minutes.
5. Add SoftSoak Stain and Scale Control. Wait 30 minutes.
6. Add SoftSoak Spa Shock.
7. Circulate your water continuously for approximately 30 minutes.
8. Add SoftSoak Sanitizer and circulate continuously again for another 30 minutes.
9. Test your SoftSoak Sanitizer and pH. The sanitizer level should be between 30 and 50 ppm and the pH range should be within 7.2-7.6.

Weekly Care

1. Using SoftSoak Spa Water Test Strips, test and balance the pH, Total Alkalinity, Calcium Hardness and Sanitizer levels of your spa.
2. Add weekly dose of SoftSoak Waterline Control.
3. Add weekly dose of SoftSoak Stain and Scale Control.
4. Add SoftSoak Spa Shock according to spa use rate.
If you use your Dimension One spa three or more times a week, add higher dose of Spa Shock.
5. The SoftSoak Sanitizer levels should be 30-50 ppm.
If sanitizer level is 11-30 ppm, add lower dose of SoftSoak Sanitizer. If sanitizer level is 0-10 ppm, add higher dose of SoftSoak Sanitizer.
6. If pH is outside 7.2-7.6, adjust as needed.

Monthly Care

- Chemically clean your filter with SoftSoak Filter Cleaner.

Every 3 to 4 Months

- Drain, clean, polish spa surface and refill based on usage.
Please refer to the spa care and maintenance guide for further details.



Dimension One Spas® Quick

| Bromine Start Up | 200 gallons | 250 gallons | 300 gallons |
|---|--------------------|--------------------|--------------------|
| Brominating Concentrate New Spa Start Up | 1 tbs. + 1 tsps. | 1 tbs. + 2 tsps. | 2 tbs. |
| Brominating Concentrate Refill Start Up | 1 tsps. | 1 1/4 tsps. | 1 1/2 tsps. |
| Stain & Scale Control | 2/3 oz | 3/4 oz. | 1 oz. |
| Water Clarifier | 2/3 oz | 3/4 oz. | 1 oz. |
| Spa Enzyme | 4 tbs. | 5 tbs. | 6 tbs. |

| Bromine Weekly | 200 gallons | 250 gallons | 300 gallons |
|-------------------------|----------------------------------|----------------------------------|----------------------------------|
| Brominating Concentrate | As needed to maintain 3-6 ppm | As needed to maintain 3-6 ppm | As needed to maintain 3-6 ppm |
| Enhanced Shock | 1 tbs. + 1 tsps. | 1 tbs. + 1 1/2 tsps. | 2 tbs. |
| Stain & Scale Control | 2/3 oz. | 3/4 oz. | 1 oz. |
| Spa Enzyme | 4 tbs. | 5 tbs. | 6 tbs. |
| Stain & Scale | 1 1/3 oz. | 1 2/3 oz. | 2 oz. |

| Chlorine Start Up | 200 gallons | 250 gallons | 300 gallons |
|--|--------------------|--------------------|--------------------|
| Chlorinating Concentrate New Spa Start-Up | 2 tsps. | 2 1/2 tsps. | 1 tbs. |
| Chlorinating Concentrate Refill Start Up | 1 tsps. | 1 1/2 tsps. | 1 1/2 tsps. |
| Stain & Scale Control | 2/3 oz. | 3/4 oz. | 1 oz. |
| Water Clarifier | 2/3 oz. | 3/4 oz. | 1 oz. |
| Spa Enzyme | 4 tbs. | 5 tbs. | 6 tbs. |

| Chlorine Weekly | 200 gallons | 250 gallons | 300 gallons |
|--------------------------|----------------------------------|----------------------------------|----------------------------------|
| Chlorinating Concentrate | As needed to maintain 3-5 ppm | As needed to maintain 3-5 ppm | As needed to maintain 3-5 ppm |
| Enhanced Shock | 1 tbs. + 1 tsps. | 1 tbs. + 1 1/2 tsps. | 2 tbs. |
| Stain & Scale Control | 2/3 oz. | 3/4 oz. | 1 oz. |
| Spa Enzyme | 4 tbs. | 5 tbs. | 6 tbs. |

| SoftSoak Start-Up | 200 gallons | 250 gallons | 300 gallons |
|--------------------------|--------------------|--------------------|--------------------|
| Sanitizer | 1 1/3 oz. | 1 2/3 oz. | 2 oz. |
| Shock | 4 oz. | 5 oz. | 6 oz. |
| Stain & Scale | 1 1/3 oz. | 1 2/3 oz. | 2 oz. |
| Waterline Control | 2 oz. | 2 1/2 oz. | 3 oz. |

| SoftSoak Weekly | 200 gallons | 250 gallons | 300 gallons |
|--------------------------------|--------------------|--------------------|--------------------|
| Sanitizer (level is 15-30 ppm) | 2/3 oz. | 1 oz. | 1 oz. |
| Sanitizer (level is 0-15 ppm) | 1 1/3 oz. | 1 2/3 oz. | 2 oz. |
| Shock (low use) | 2 oz. | 2.5 oz. | 3 oz. |
| Shock (high use) | 4 oz. | 5 oz. | 6 oz. |
| Stain & Scale | 1/3 oz. | 1/3 oz. | 1/2 oz. |
| Waterline Control | 1 oz. | 1 1/4 oz. | 1 1/2 oz. |

Start Recipes Dosage Chart

| 350 gallons | 400 gallons | 450 gallons | 500 gallons | Label Directions |
|------------------|-----------------|-------------|------------------|------------------|
| 2 tbs. + 1 tsps. | 2 tbs. + 2 tsps | 3 tbs | 3 tbs. + 1 tsps. | 2 tsps. per 100 |
| 1 3/4 tsps. | 2 tsps. | 2 1/4 tsps. | 2 1/2 tsps. | 1 tsps. per 200 |
| 1 1/4 oz. | 1 1/3 oz. | 1 1/2 oz. | 1 2/3 oz. | 1oz. per 300 |
| 1 1/4 oz. | 1 1/3 oz. | 1 1/2 oz. | 1 2/3 oz. | 1oz. per 300 |
| 7 tbs. | 8 tbs | 9 tbs. | 10 tbs | 2 tbs. per 100 |

| 350 gallons | 400 gallons | 450 gallons | 500 gallons | Label Directions |
|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------|
| As needed to maintain 3-6 ppm | As needed to maintain 3-6 ppm | As needed to maintain 3-6 ppm | As needed to maintain 3-6 ppm | 1 tsps. per 200 |
| 2 tbs. | 2 tbs. + 1 1/2 tsps. | 2 tbs. + 2 tsps. | 3 tbs. | 3 tbs. per 500 |
| 1 1/4 oz. | 1 1/3 oz. | 1 1/2 oz. | 1 2/3 oz. | 1oz. per 300 |
| 7 tbs. | 8 tbs. | 9 tbs. | 10 tbs. | 2 tbs. per 100 |
| 2 1/3 oz. | 2 2/3 oz. | 3 oz. | 3 1/3 oz. | 1oz. per 150 |

| 350 gallons | 400 gallons | 450 gallons | 500 gallons | Label Directions |
|------------------|------------------|---------------------|------------------|------------------|
| 1 tbs. 1/2 tsps. | 1 tbs. + 1 tsps. | 1 tbs. + 1 1/2 tsps | 1 tbs. + 2 tsps. | 1 tsps. per 100 |
| 2 tsps. | 2 tsps. | 2 1/2 tsps. | 2 1/2 tsps. | 1 tsps. per 200 |
| 1 1/4 oz. | 1 1/3 oz. | 1 1/2 oz. | 1 2/3 oz. | 1oz. per 300 |
| 1 1/4 oz. | 1 1/3 oz. | 1 1/2 oz. | 1 2/3 oz. | 1oz. per 300 |
| 7 tbs. | 8 tbs. | 9 tbs. | 10 tbs. | 2 tbs. per 100 |

| 350 gallons | 400 gallons | 450 gallons | 500 gallons | Label Directions |
|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------|
| As needed to maintain 3-5 ppm | As needed to maintain 3-5 ppm | As needed to maintain 3-5 ppm | As needed to maintain 3-5 ppm | 1 tsps.per 200 |
| 2 tbs. | 2 tbs. + 1 1/2 tsps. | 2 tbs. + 2 tsps. | 3 tbs. | 3 tbs. per 500 |
| 1 1/4 oz. | 1 1/3 oz. | 1 1/2 oz. | 1 2/3 oz. | 1oz. per 300 |
| 7 tbs. | 8 tbs. | 9 tbs. | 10 tbs. | 2 tbs. per 100 |

| 350 gallons | 400 gallons | 450 gallons | 500 gallons | Label Directions |
|-------------|-------------|-------------|-------------|-------------------|
| 2 1/3 oz. | 2 2/3 oz. | 3 oz. | 3 1/3 oz. | 1 oz. per 150 |
| 7 oz. | 8 oz. | 9 oz. | 10 oz. | 3 oz.per 150 |
| 2 1/3 oz. | 2 2/3 oz. | 3 oz. | 3 1/3 oz. | 1oz.per 150 |
| 3 1/2 oz. | 4 oz. | 1 1/2 oz. | 5 oz. | 1 1/2 oz. per 150 |

| 350 gallons | 400 gallons | 450 gallons | 500 gallons | Label Directions |
|-------------|-------------|-------------|-------------|--------------------------|
| 1 1/2 oz. | 1 1/2 oz. | 1 2/3 oz. | 1 2/3 oz. | 1/4 oz. per 150 = 10 ppm |
| 2 1/3 oz. | 2 2/3 oz. | 3 oz. | 3 1/3 oz. | 1/4 oz. per 150 = 10 ppm |
| 3.5 oz. | 4 oz. | 4 1/2 oz. | 5 oz. | 1 1/2 oz. per 150 |
| 7 oz. | 8 oz. | 9 oz. | 10 oz. | 3 oz. per 150 |
| 2/3 oz. | 2/3 oz. | 3/4 oz. | 3/4 oz. | 1/4 oz. per 150 |
| 1 3/4 oz. | 2 oz. | 2 1/4 oz. | 2 1/2 oz. | 3/4 oz. per 150 |



DIMENSION ONE SPAS®

www.spaguard.com/D1/

You'll learn more about SpaGuard®
and why it's the only spa care you'll ever need.



SpaGuard.



The Vision of Children

www.visionofchildren.org

Visit your authorized
Dimension One Spas® dealer.

